








THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ANDERSON POWER PRODUCTS. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF ANDERSON POWER PRODUCTS IS PROHIBITED.

Copyright 2006

ANDERSON POWER PRODUCTS RESERVES THE RIGHT TO ALTER PRODUCT TYPES, THEIR TECHNICAL DATA, DIMENSION, STYLE AND ACCESSORIES WITHOUT PRIOR NOTIFICATION.



VOLTAGE ORIENTATION
36V
48V
72V
96V
80V
24V

DIMENSIONS ARE IN:		INCH[MM]	MM[INCH]	APPROVALS		 ANDERSON POWER PRODUCTS
UNLESS OTHERWISE STATED				DRAWN	AMP	
TOLERANCES:				CHECKED	DJD	6/9/05
DECIMALS (INCH)	DECIMALS (MM)	ANGLES		MFG APP	CHB	6/8/05
XX ± .02	X ± .5	± 2°		QC APP	JJA	6/9/05
SURFACE FINISH:				ENG APP	DAM	6/8/05
MACHINED		128 [3.2]		SIZE	A/A4	DWG NO.
MOLDED		64 [1.6]		SCALE	NONE	80-19S1
MATERIAL: NYLON				REV.		1
FINISH: N/A				SCALE		CADFILE
 				SHEET		1 OF 1
-CAD GENERATED DRAWING- DO NOT MANUALLY UPDATE DO NOT SCALE				SCALE		02368

REV.	DESCRIPTION OF CHANGES	APPROVED	DATE
1	ECRN 13947 - CHANGE HEX FROM 9.3 TO 8.0	AMS	01/20/06